


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



6237 Mrs Bort.

TRADE-LIST OF
American Plants and Shrubs

1905-6

LIBRARY
U. S. Department of Agriculture
Washington, D. C.



WOODWARDIA-ANGUSTIFOLIA
As it grows wild.

COLLECTED AND GROWN BY
WM. F. BASSETT & SON
Hammonton, New Jersey
U. S. A.



Terms and Remarks.

OUR TERMS are net cash, and are for the quantities named, except that 5, 50, and 500 will be furnished at the ten, hundred, and thousand rates, respectively. Persons not known by us to be responsible and reliable, will be expected to send cash with order, or good references.

SHIPPING FACILITIES. Our nurseries are within 30 miles of Philadelphia (two railroads), 100 miles of New York, and freight rates very low.

MAILING PLANTS. Small orders will be filled by mail when so requested, if the size of plant will permit; but postage will be added to bills so forwarded.

COLLECTED PLANTS. This is our original specialty, and we collect plants in New Jersey, Pennsylvania, Delaware, and Maryland, and we also have arrangements with special collectors in the New England and other states. This collecting is all done by skilled men, and the plants so collected are not to be compared with "cheap collected plants" PULLED UP by irresponsible parties at so much per thousand. We aim to get the very best, especially in those species that are difficult to transplant, and we send out only such as we could succeed with ourselves; but as we cannot control weather conditions or other circumstances where we send them, we cannot, of course, assume any responsibility further than to ship them in good order.

TRANSPLANTED STOCK. To meet the wants of an increasing list of customers, we have for several years been transplanting the best varieties of our native shrubs and hardy plants into our nursery grounds, and growing them under culture for one or more years.

PACKING, which is done in a most thorough manner, is charged at cost. We use the best of sphagnum moss.

To our European Friends.

We have a good list of European customers, and our system of packing is such that our shipments have arrived in perfect condition. We wish, however, to say to this class of customers that Fall orders are much more desirable, as the dormant condition of stock shipped at that season admits of closer packing, and consequently safer transit.

Certificate of Inspection.

A copy of the Certificate of Inspection will accompany each shipment.
We will fumigate stock WHEN REQUESTED.

Novelties and Specialties.

Bright Red Pyrus,—*Arbutifolia*, var. *Brilliantissima*.

It is not necessary to say to those who are familiar with the common *Pyrus arbutifolia*, that the fruit varies in color from red to almost black, and that the greater portion, even of those which are light red when first ripening, turn quite dark and dull later in the season. Our *Brilliantissima* has been propagated from a few plants we found, which produced bright scarlet berries and retain their bright color until late in the winter. This is so decidedly superior to the ordinary form that we are growing it exclusively.

Plants not in this List.

There are many native plants not included in this list, which we can collect if desired. We can collect nine varieties of *Eupatorium*, twenty varieties of *Aster*, eighteen varieties of *Solidago*, and many others.

Seeds.

We collect American tree and shrub seeds **ON ORDERS ONLY**. Prices quoted on application.

Large Plants.

We make a specialty of large plants, collected with ball of earth, in carload lots. In this list may be mentioned *Ilex glabra*, *Ilex opaca*, *Kalmia latifolia*, *Azalea viscosa*, *Vaccinium corymbosum*, *Viburnum cassinoides*, etc. These are unusually fine specimens of each variety, ranging in size from one to six feet, according to variety. **SPECIAL PRICES** on carload lots.

Hardy Perennial Phlox.

We offer the following selection of Hardy Perennial Phlox in strong field-grown plants. This selection is the best of a large collection.

Aquillon. Bright deep pink, with bright crimson eye.

Bridesmaid. Pure white, with large crimson centre; very free.

Champs Elysee. A fine rich purplish crimson.

Cyclon. White suffused with deep rose centre.

Eclaireur. Purplish crimson with light halo; large flower.

Eugene Danzenvillier. Lilac shading white toward the edges, large white centre.

Jeanne d'Arc. Late flowering; pure white.

Moliere. Salmon rose, with deep rose eye.

Otto Thalacker. Magenta crimson.

Pantheon. Fine deep salmon rose; very free and effective.

P. Bonnetain. Magenta, overlaid with salmon.

Prof. Schliemann. Bright lilac rose, with bright eye.

Sunshine. Deep salmon pink, with deep rose eye.

Semiramis. Purplish magenta.

The Pearl. The best pure white. 10 c. each; 75 c. per 10; \$4 per 100; \$35 per 1000. We have a large stock of this variety in field-grown plants.

Price, except where noted: 15 c. each; \$1 for 10; \$6 per 100; \$45 per 1000.

General List of Hardy Perennials.

We have a large and varied stock of Hardy Perennials, including the very best standard varieties and many of the newer sorts. Parties intending to plant largely of this class of stock should send their list for special estimate. A liberal discount on orders amounting to twenty-five dollars or more.

| | EACH | 10 | 100 | 1000 |
|---|--------|------|------|-------|
| Achillea eupatoria | \$0.15 | 0.75 | | |
| “ millefolium roseum | 10 | .50 | 3.00 | 25.00 |
| “ The Pearl | 10 | .40 | 2.50 | 20.00 |
| “ tomentosa | 15 | .50 | | |
| Acorus calamus, collected | 10 | .50 | 3.00 | |
| Adiantum pedatum | 15 | .60 | 3.00 | 25.00 |
| Aletris farinosa, col | 10 | .50 | 2.00 | 12.00 |
| Amsonia salicifolia | 15 | 1.00 | | |
| Andropogon macrourus, col | 10 | .50 | 2.00 | 15.00 |
| Anemone Pennsylvanica | 20 | .75 | | |
| “ nemorosa | 15 | .60 | 5.00 | |
| Anemonella thalictroides, col | 15 | .60 | 3.00 | |
| Apios tuberosa | 10 | .30 | 1.00 | 8.00 |
| Aquilegia Canadensis, col | | .50 | 3.00 | 25.00 |
| “ hybrida | 25 | .75 | 4.00 | |
| Aralia hispida, col | 15 | .75 | | |
| Arenaria squarrosa, col | 20 | .70 | 3.00 | 25.00 |
| Arisaema Dracontium, col | 20 | .80 | 4.00 | |
| “ triphyllum, col | 10 | .50 | 2.00 | 15.00 |
| Asarum Canadense | 15 | .50 | 4.00 | |
| Asclepias incarnata, col | 10 | .50 | 3.00 | 20.00 |
| “ obtusifolia, col | 20 | 1.00 | | |
| “ tuberosa, col | 20 | 1.00 | 6.00 | 40.00 |
| Aspidium acrostichoides | 10 | .50 | 2.00 | 15.00 |
| “ aculeatum var. Braunii, col | 30 | 1.25 | | |
| “ cristatum, col | 20 | .70 | 4.00 | |
| “ goldianum | 25 | 1.25 | | |
| “ marginale, col | 10 | .50 | 2.00 | 15.00 |
| “ novaboracensis, col | 10 | .50 | 2.00 | 15.00 |
| “ spinulosum, col | 15 | .75 | 3.00 | 25.00 |
| “ thelypteris, col | 10 | .50 | 2.00 | 15.00 |
| Asplenium ebeneum, col | 10 | .50 | 2.00 | 15.00 |
| “ trichomanes, col | 15 | .60 | 3.00 | |
| Aster concolor, col | 15 | 1.00 | | |
| “ linariifolius, col | 10 | .50 | 2.00 | 15.00 |
| “ longifolius, col | 15 | 1.00 | | |
| “ Nova Anglae | 15 | .60 | 3.50 | |
| “ “ rosea | 15 | 1.00 | 8.00 | |
| “ Mrs. F. Raynor | 15 | 1.00 | | |
| “ lævis | 15 | .75 | 5.00 | |

All plants in this list are nursery-grown unless otherwise specified.

| | EACH | 10 | 100 | 1000 |
|---|------|------|------|-------|
| Aster, lævis floribunda | 25 | 1.00 | | |
| “ patens, col | 10 | .50 | | |
| “ puniceus, col | 20 | .75 | | |
| “ spectabilis, col | 10 | .50 | 2.50 | 15.00 |
| “ tradescantii, col | 10 | .40 | 2.50 | 15.00 |
| “ Tartaricus | 15 | .75 | 3.00 | 25.00 |
| Baptisia tinctoria, col | 25 | 1.00 | 4.00 | |
| Boltonia asteroides | 15 | .75 | 4.00 | |
| “ glastifolia | 25 | 1.00 | 4.00 | |
| “ latasquamae | 15 | .75 | 4.00 | |
| Botrychium Virginicum, col | 20 | .60 | 4.00 | |
| Brasenia peltata, col | 10 | .50 | 2.00 | 15.00 |
| Breweria Pickeringii, col | 25 | 1.00 | 6.00 | |
| Brunella vulgaris | 10 | .50 | 2.00 | 15.00 |
| Calamagrostis brevipilis, col | 25 | 1.00 | 5.00 | |
| “ Nuttaliana, col | 25 | 1.00 | 6.00 | |
| Calla palustris, col | 15 | .75 | 4.00 | |
| Calopogon pulchellus, col | 15 | .60 | 4.00 | |
| Caltha palustris, col | 15 | .60 | 3.00 | 25.00 |
| Camptosorus rhizophyllus, col | 15 | .50 | 2.50 | |
| Cassia Marylandica | 15 | .60 | 3.00 | |
| Chelone glabra, col | 10 | .50 | 3.00 | |
| Chimaphila maculata, col | 15 | .60 | 3.00 | |
| “ umbellata, col | 15 | .75 | 4.00 | |
| Chrysopsis falcata, col | 20 | .50 | 3.00 | 10.00 |
| “ Mariana, col | 10 | .50 | 2.50 | 15.00 |
| Cimicifuga racemosa, col | 15 | .60 | 3.00 | 20.00 |
| Claytonia Virginica, col | 15 | .60 | 3.00 | |
| Clintonia borealis, col | 15 | .60 | 3.00 | |
| Coreopsis grandiflora | 15 | .75 | 3.00 | |
| “ lanceolata | 10 | .50 | 2.00 | 15.00 |
| Coronilla varia | 10 | .60 | 3.00 | |
| Cunilla Mariana, col | 20 | .60 | 3.00 | |
| Cypripedium acaule, col | 15 | .75 | 4.00 | |
| Delphinium Chinensis, white | 10 | .60 | | |
| Dentaria laciniata, col | 15 | .60 | 3.00 | |
| Dicentra Canadensis, col | 15 | .75 | 2.50 | 15.00 |
| “ cucullaria, col | 15 | .60 | 2.00 | 15.00 |
| Dicksonia piliosusiuscula | 15 | .60 | 2.00 | 10.00 |
| Digitalis gloxinoides | 15 | .75 | | |
| Dioscorea villosa, col | 25 | 1.50 | | |
| Dracocephalum Virginicum | 10 | .50 | 2.00 | |
| Drosera filiformis, col | 15 | .60 | 1.50 | 10.00 |
| “ intermedia | 15 | .60 | 3.00 | |
| Elodes Virginica, col | 15 | .60 | 3.00 | 15.00 |
| Epilobium angustifolium, col | 15 | 1.00 | | |

All plants in this list are nursery-grown unless otherwise specified.

| | EACH | 10 | 100 | 1000 |
|--|------|------|------|-------|
| <i>Erianthus alopecuroides</i> , col | 15 | .60 | 3.00 | |
| <i>Eriocaulon gnaphalodes</i> , col | 15 | .60 | 2.50 | |
| “ <i>decangulare</i> , col | 15 | .60 | 2.50 | |
| <i>Eriophorum Virginicum</i> , col | 15 | .75 | | |
| <i>Eryngium amethystinum</i> | 25 | 1.00 | 5.00 | |
| “ <i>Virginicum</i> | 15 | 1.00 | 5.00 | |
| <i>Erythronium Americanum</i> , col | 15 | .60 | | |
| <i>Eulalia gracillima</i> | 10 | .50 | 2.00 | 18.00 |
| “ <i>Japonica</i> | | .50 | | |
| “ <i>Japonica zebrina</i> | 15 | .60 | 2.50 | 18.00 |
| <i>Eupatorium ageratoides</i> | 15 | .75 | 4.00 | |
| “ “ col | 15 | .60 | 3.00 | 20.00 |
| “ <i>purpureum</i> , col | 15 | .60 | 3.00 | 20.00 |
| <i>Euphorbia corollata</i> | 15 | .50 | 2.50 | 15.00 |
| “ <i>ipecacuanhæ</i> , col | 10 | .60 | 3.00 | |
| <i>Funkia lancifolia</i> | 15 | .60 | 3.00 | |
| “ <i>Sieboldii</i> | 25 | 2.00 | | |
| <i>Gaillardia grandiflora</i> | 20 | 1.00 | 5.00 | |
| <i>Galactea glabella</i> | 20 | .80 | | |
| <i>Galtonia (Hyacinthus) Candicans</i> | | .75 | 4.00 | |
| <i>Gentiana Andrewsii</i> , col | 25 | 1.25 | 7.00 | |
| “ <i>angustifolia</i> , col | 25 | 1.50 | | |
| “ <i>saponaria</i> , col | 25 | 1.00 | 7.00 | |
| “ <i>linearis</i> | | 1.00 | | |
| <i>Geranium maculatum</i> , col | 15 | .60 | 2.50 | |
| “ <i>sanguineum</i> | 15 | .80 | 5.00 | |
| <i>Gerardia flava</i> , col | 20 | .75 | 4.00 | |
| <i>Goodyera pubescens</i> | 30 | 1.00 | | |
| <i>Gratiola aurea</i> , col | 15 | .60 | 3.00 | |
| <i>Gypsophyla repens</i> | 25 | 1.50 | | |
| <i>Habenaria blephariglottis</i> , col | 15 | .70 | 5.00 | |
| “ <i>ciliaris</i> , col | 15 | .75 | | |
| <i>Helenium autumnale</i> | 15 | .60 | 2.00 | 15.00 |
| “ <i>pumilum</i> | 15 | 1.00 | | |
| <i>Helianthus angustifolius</i> , col | 15 | .60 | 3.00 | 20.00 |
| “ <i>divaricatus</i> , col | 15 | .60 | 3.00 | 20.00 |
| “ <i>giganteus</i> | 15 | .60 | 3.00 | |
| “ <i>lætiflorus</i> | 10 | .50 | 2.00 | 10.00 |
| “ <i>mollis</i> , col | 20 | .75 | 3.00 | |
| <i>Heliopsis Pitcheriana</i> | 25 | 1.00 | 4.00 | |
| <i>Helonias bullata</i> , col | 20 | .85 | 4.00 | 30.00 |
| <i>Hemerocallis Dumortieri</i> | 15 | .60 | 3.00 | 25.00 |
| “ <i>florham</i> | 30 | | | |
| “ <i>flava</i> | 20 | .75 | 5.00 | 40.00 |
| “ <i>fulva</i> | 10 | .60 | 2.00 | 15.00 |
| “ <i>middendorffiana</i> | 25 | 2.00 | | |
| “ <i>Kwanso plena</i> , var | 25 | 1.25 | | |
| “ <i>Thunbergii</i> | 20 | .75 | 4.00 | |

All plants in this list are nursery-grown unless otherwise specified.

| | EACH | 10 | 100 | 1000 |
|--|------|------|------|-------|
| Hepatica acutiloba, col | 15 | .60 | 3.00 | 20.00 |
| “ triloba, col | 15 | .60 | 3.00 | 20.00 |
| Heuchera Americana | 15 | .75 | 4.00 | |
| “ “ col | 15 | .50 | 2.00 | 15.00 |
| Hibiscus moscheutos | 15 | .60 | 3.00 | 20.00 |
| “ “ Crimson Eye | 15 | .60 | 2.50 | 18.00 |
| “ “ Rose Pink | 15 | .60 | | |
| “ militaris | 15 | .75 | 2.00 | |
| Houstonia cœrulea, col | 15 | .50 | 4.00 | |
| Hypericum angulosum, col | 15 | .60 | | |
| “ ascyron | 25 | | | |
| Iberis sempervirens | 20 | .50 | 3.50 | |
| “ “ superba | 25 | .75 | 4.00 | |
| Ipomœa pandurata, col | 25 | 1.00 | 7.00 | |
| Iris Germanica, Madam Cherau | | .75 | 4.00 | |
| “ “ mixed | | .50 | 2.00 | 10.00 |
| “ aurea | 25 | 1.00 | | |
| “ prismatica, col | 15 | .60 | 2.00 | 15.00 |
| “ pumila | 15 | .60 | 2.50 | |
| “ pseudacorus | 10 | .50 | | |
| “ Siberica | 15 | .50 | 3.00 | |
| “ “ alba | 25 | .60 | 4.00 | |
| “ versicolor | | .75 | 3.00 | |
| Lacnanthes tinctoria | 10 | .50 | 2.00 | 15.00 |
| Liatis graminifolia, col | 10 | .50 | 2.00 | 15.00 |
| “ cylindriaca | 15 | 1.00 | | |
| “ pycnostachia | 25 | 1.25 | 4.00 | |
| “ spicata | 20 | .75 | 3.00 | |
| “ gracilis | 15 | 1.00 | | |
| Lilium Philadelphicum, col | 25 | .80 | 5.00 | |
| “ superbum | 20 | .75 | 4.00 | |
| “ Canadense | 20 | .75 | 5.00 | |
| Linaria Canadensis | 10 | .50 | 2.00 | 10.00 |
| “ vulgaris | 15 | .50 | 2.00 | 15.00 |
| Liparis liliifolia | 25 | 1.25 | 8.00 | |
| Lobelia cardinalis, col | 20 | .60 | 3.00 | 20.00 |
| “ syphilitica, col | 25 | .80 | 4.00 | |
| Lophiola aurea, col | 25 | 1.00 | 5.00 | 30.00 |
| Lysimachia ciliata | 15 | .60 | 3.00 | |
| “ clethroides | 15 | .60 | 4.00 | |
| “ nummularia | 15 | .60 | 2.00 | |
| “ punctata | 15 | .60 | 3.00 | |
| “ quadrifolia, col | 15 | .60 | 2.50 | |
| “ stricta, col | 15 | .60 | 3.00 | |
| Lythrum salicaria superba | 15 | .80 | 4.00 | |
| Malva moschata | 15 | .75 | | |

All plants in this list are nursery-grown unless otherwise specified.

| | EACH | 10 | 100 | 1000 |
|--|------|------|------|-------|
| Mertensia Virginica, col | 20 | .75 | 3.50 | 25.00 |
| Mikania scandens, col | 25 | 1.00 | | |
| Mitchella repens, col | 10 | .50 | 2.00 | 15.00 |
| Monarda didyma splendens | 15 | 1.00 | 5.00 | |
| “ fistulosa | 10 | 1.00 | 5.00 | |
| Mentha piperita | 15 | .75 | 3.00 | |
| “ viridis | 15 | .75 | 3.00 | |
| Nartheceum Americanum, col | 30 | 1.50 | 5.00 | 40.00 |
| Nepeta glechoma | 10 | .50 | 2.00 | |
| Nesæa verticillata, col | 25 | 1.00 | 5.00 | |
| Nuphar advena, col | 25 | 1.00 | 6.00 | |
| Nymphæa odorata, col | 25 | .75 | 3.00 | |
| “ “ minor, col | 25 | .75 | 3.00 | |
| Oenothera fruticosa, col | 15 | .60 | 2.00 | 18.00 |
| “ Youngii | 15 | .75 | | |
| Onoclea sensibilis, col | 15 | .50 | 2.00 | 10.00 |
| “ struthiopteris, col | 15 | .70 | 5.00 | |
| Opuntia Rafinesquii | 15 | .60 | 2.00 | 15.00 |
| Orontium Aquaticum, col | 25 | .90 | 6.00 | 45.00 |
| Osmunda cinnamomea, col | 20 | 1.00 | 6.00 | 35.00 |
| “ Claytoniana, col | 20 | .85 | 4.00 | 35.00 |
| “ gracilis, col | 25 | 1.00 | 6.00 | 40.00 |
| “ regalis, col | 20 | 1.00 | 6.00 | 40.00 |
| Oxalis violacea, col | 15 | .60 | 3.00 | |
| Panicum virgatum, col | 15 | .60 | 2.00 | 15.00 |
| Pardanthus Chinensis | 10 | .50 | 2.00 | 15.00 |
| Pentstemon barbatus Torreyi | 20 | .75 | 4.00 | |
| “ grandiflorus | 20 | .75 | 5.00 | |
| “ digitalis | 20 | 1.00 | 5.00 | |
| “ pubescens | 15 | .60 | 2.50 | 20.00 |
| Peltandra Virginica, col | 30 | 1.50 | 8.00 | 60.00 |
| Phegopteris dryopteris | 15 | .60 | | |
| “ hexagonoptera | 15 | .60 | 3.00 | |
| “ polypodioides | 15 | .60 | | |
| Phlox divaricata, col | 20 | .75 | 3.00 | 25.00 |
| “ maculata, col | 20 | .75 | 3.50 | |
| “ subulata | 15 | .60 | 2.50 | |
| “ “ alba | 15 | .60 | 2.50 | |
| “ The Pearl | 10 | .60 | 4.00 | 35.00 |
| Physostegia Virginica | 15 | 1.00 | | |
| “ “ alba | 15 | 1.00 | 5.00 | |
| Platycodon grandiflorum | 25 | .60 | 5.00 | |
| “ “ album | 25 | .60 | 5.00 | |
| Podophyllum peltatum, col | 15 | .60 | 2.00 | 15.00 |
| Pogonia ophioglossoides, col | 20 | .75 | | |
| Polypodium vulgare | 15 | .60 | 2.00 | 12.00 |

All plants in this list are nursery-grown unless otherwise specified.

| | EACH | 10 | 100 | 1000 |
|---------------------------------------|------|------|------|-------|
| Pontederia cordata, col | 20 | .75 | 4.00 | 30.00 |
| Pteris aquilina, col | 15 | .50 | 2.00 | 10.00 |
| Pycnanthemum linifolium | 10 | .50 | 4.00 | |
| Pyrola chlorantha, col | 15 | .60 | 3.00 | |
| “ elliptica, col | 15 | .60 | 3.00 | |
| “ rotundifolia, col | 15 | .60 | 3.00 | |
| Pyxidanthera barbulata, col | 20 | .75 | 3.00 | 25.00 |
| Rudbeckia hirta, col | 15 | .60 | 2.50 | 20.00 |
| “ laciniata | 15 | .60 | 3.00 | 25.00 |
| “ “ fl. pl. (Golden Glow) | 10 | .50 | 3.50 | |
| “ speciosa | 15 | .80 | 4.00 | |
| Sabbatia choroides, col | 25 | .75 | 5.00 | 40.00 |
| “ lanceolata, col | 15 | .60 | 4.00 | 35.00 |
| Salvia lyrata | 10 | .50 | 2.00 | 15.00 |
| “ azurea grandiflora | 25 | .75 | 5.00 | |
| Sanguinaria Canadensis | 15 | .60 | 2.00 | 18.00 |
| Sarracenia purpurea, col | 25 | .75 | 3.00 | 25.00 |
| Scirpus Eriophorum, col | 15 | .60 | 3.00 | |
| Sedum acre | 10 | .50 | 3.00 | 20.00 |
| “ album | 10 | .50 | 3.00 | 20.00 |
| “ spectabile | 15 | .75 | 5.00 | |
| “ ternatum | 15 | .60 | 3.00 | 20.00 |
| Silene Pennsylvanicum | 20 | .75 | 5.00 | |
| “ stellata | 15 | .60 | 3.00 | |
| Smilacina bifolia, col | 20 | .75 | 3.00 | 25.00 |
| “ racemosa, col | 20 | .75 | 3.00 | 25.00 |
| Solidago altissimum, col | 15 | .60 | 2.50 | |
| “ cæsia, col | 15 | .50 | | |
| “ Canadensis | 15 | .60 | 2.50 | |
| “ lanceolata, col | 10 | .50 | 2.00 | 15.00 |
| “ nemoralis, col | 15 | .60 | 2.00 | 15.00 |
| “ odora, col | 10 | .50 | 2.00 | 15.00 |
| “ puberula, col | 15 | .60 | 2.50 | |
| “ sempervirens | 10 | .60 | 2.50 | 20.00 |
| “ tenuifolia, col | 10 | .50 | 2.00 | 15.00 |
| “ virgata, col | 20 | .75 | 3.00 | 25.00 |
| Stokesia cyanea | 10 | .75 | 4.00 | |
| Tephrosia Virginica, col | 15 | .60 | 3.00 | 25.00 |
| Thalictrum cornuti, col | 20 | .75 | 3.00 | 25.00 |
| “ dioicum, col | 20 | .75 | 3.50 | 30.00 |
| Tradescantia Virginica | 15 | .60 | 3.00 | 25.00 |
| “ “ alba | 20 | .75 | 3.50 | |
| “ “ fl. pl | 25 | 1.00 | 3.00 | |
| Trillium erectum, col | 15 | .60 | 3.00 | |
| “ “ album, col | 20 | .75 | 4.00 | |
| “ grandiflorum | 15 | .50 | 2.50 | 15.00 |

All plants in this list are nursery-grown unless otherwise specified.

| | EACH | 10 | 100 | 1000 |
|--|------|------|-------|-------|
| Trillium grandiflorum roseum | 20 | .75 | 5.00 | |
| Typha angustifolia, col | 15 | .60 | 5.00 | |
| “ latifolia, col | 15 | .60 | 5.00 | |
| Vernonia hybrida | 15 | 1.00 | 5.00 | |
| “ novaboracensis, col | 20 | .80 | 5.00 | |
| Veronica Circæoides | 15 | .75 | 3.00 | |
| “ officinalis | 25 | .50 | 2.00 | 18.00 |
| “ longifolia subsessilis | 25 | 1.00 | 5.00 | |
| Viola cucullata | 10 | .50 | 1.50 | 10.00 |
| “ pedata, col | 15 | .50 | 2.50 | 20.00 |
| “ bicolor | 25 | 1.00 | | |
| “ Pink Gem | 25 | .75 | 5.00 | |
| “ Pinehurst | 15 | 1.00 | 5.00 | |
| Woodwardia angustifolia, col | 15 | .60 | 2.50 | 20.00 |
| “ Virginica, col | 15 | .60 | 2.00 | 15.00 |
| Xerophyllum asphodeloides, col | 15 | .60 | 2.00 | 15.00 |
| “ “ in strong clumps, col | 25 | 1.50 | 10.00 | |
| Yucca filamentosa | 20 | | 3.50 | 30.00 |
| “ “ (heavy plants) | 25 | 1.50 | 7.00 | |

Trees, Shrubs, and Woody Climbers.

| | | | | |
|---|----|------|-------|-------|
| Acer Platanoides, 1 to 2 feet | 10 | .50 | 2.50 | |
| “ “ seedlings, 4 to 6 inches | | .25 | 1.00 | |
| “ rubrum, 5 to 8 feet, col | 25 | 1.25 | 8.00 | |
| “ “ 4 to 5 feet, col | 20 | .80 | 4.00 | |
| “ “ 3 to 4 feet, col | 20 | .75 | 3.00 | |
| “ “ 2 to 3 feet, col | 15 | .50 | 2.50 | 15.00 |
| “ spicatum, col | | 1.00 | 4.00 | |
| Akebia quinata, 2 years | 15 | .50 | 3.00 | |
| Amelanchier Botryapium, col | | .60 | 3.50 | 30.00 |
| “ Canadensis, 2 to 4 feet, trans | 15 | 1.00 | 6.00 | |
| “ “ col | | .60 | 3.00 | |
| “ “ rotundifolium, 2 to 3 feet | 25 | 1.00 | 5.00 | |
| “ “ “ 1 to 2 feet | 15 | .75 | 3.00 | |
| Ampelopsis quinquefolia, 2 years | 15 | .60 | 3.00 | |
| Andromeda arborea, 6 to 12 feet <i>inches</i> | 15 | .60 | 3.00 | |
| “ calyculata, col | | .60 | 2.00 | 15.00 |
| “ ligustrina, trans | 15 | .75 | | |
| “ “ col | | .60 | 3.00 | 25.00 |
| Andromeda Mariana, 1 to 2 feet | 20 | 1.00 | 5.00 | |
| “ “ 6 to 12 inches | 15 | .75 | 4.00 | |
| “ “ col | | .75 | 3.50 | 25.00 |
| “ polifolia | 25 | .75 | 4.00 | |
| “ racemosa, 2 to 3 feet | 25 | 1.50 | 10.00 | |
| “ “ col | | .60 | 2.50 | 20.00 |

All plants in this list are nursery grown unless otherwise specified.

| | EACH | 10 | 100 | 1000 |
|---|------|-------|-------|-------|
| Asimina triloba | 35 | 2.50 | | |
| Ascyrum Crux-Andræ, col | 15 | .60 | 3.00 | |
| “ stans, col | 15 | .60 | 3.00 | |
| Azalea arborescens, 2 to 3 feet | 40 | | | |
| “ Amoena | 40 | 3.00 | | |
| “ calendulacea, 1 to 2 feet | 35 | 2.00 | 18.00 | |
| “ “ 2 to 3 feet | 50 | 4.00 | | |
| “ nudiflora | 50 | 2.00 | 10.00 | |
| “ “ col | | .60 | 3.00 | 25.00 |
| “ Vaseyi, 2 to 3 feet | 40 | | | |
| “ viscosa, 1 to 2 feet | 15 | 1.00 | 7.50 | |
| “ “ col | | .60 | 3.00 | 25.00 |
| “ “ 3 to 6 feet, with ball, col | 1.50 | 10.00 | | |
| Baccharii halimifolia, col | 15 | .75 | 5.00 | 30.00 |
| Berberis Thunbergii | 15 | 1.00 | 8.00 | |
| “ vulgaris, 10 to 12 inches | 10 | .40 | 2.00 | |
| Betula lenta, 4 to 6 feet, twice transplanted | 25 | 1.25 | 10.00 | |
| “ “ col | | .50 | 2.50 | 18.00 |
| “ populifolia, col | | .50 | 1.50 | 10.00 |
| “ lutea, 5 to 10 feet, extra | 40 | 2.50 | | |
| Calycanthus Floridus, 1 to 2 feet | 15 | 1.00 | 6.00 | |
| Carpinus Americana, 2 to 4 feet, twice trans | 25 | 1.00 | 7.00 | |
| Celastrus scandens, col | | .50 | 2.00 | 15.00 |
| Cephalanthus occidentalis, 2 to 3 feet | 15 | .80 | 5.00 | |
| “ “ 1 to 2 feet | 10 | .50 | 3.00 | |
| Cercis Canadensis, 1 to 2 feet | 25 | 1.00 | 6.00 | |
| “ “ col | | .60 | 4.00 | 30.00 |
| Chionanthus Virginica | 15 | .60 | 5.00 | |
| Clematis Virginica, col | | .50 | 2.50 | 18.00 |
| Clethra alnifolia, 2 to 3 feet | 15 | .80 | 5.00 | |
| “ “ 1 to 2 feet | 10 | .50 | 3.00 | 25.00 |
| “ “ col | | .50 | 2.00 | 15.00 |
| Comptonia asplenifolia, bushy | 25 | 1.00 | 9.00 | |
| “ “ col | | .50 | 2.50 | 15.00 |
| Cornus Florida, 2 to 3 feet | 15 | 1.00 | 10.00 | |
| “ “ col | | .60 | 3.50 | 20.00 |
| “ mas. 2 to 3 feet | 15 | .90 | | |
| “ paniculata, 2 to 3 feet | 20 | 1.00 | 8.00 | |
| “ “ col | | .60 | 3.00 | 25.00 |
| “ sericea, 3 to 4 feet | 20 | .75 | 7.50 | |
| “ “ col | | .60 | 2.50 | 20.00 |
| Corylus Americana, 2 to 3½ feet, trans | 30 | 2.00 | 10.00 | |
| “ “ col | | .60 | 3.00 | 20.00 |
| Cratægus parvifolia, 2 to 3 feet, heavy | 30 | 1.75 | | |
| “ “ col | | .60 | 4.00 | 35.00 |

All plants in this list are nursery grown unless otherwise specified.

| | EACH | 10 | 100 | 1000 |
|--|------|------|-------|-------|
| Cupressus thyoides, col | | .50 | 1.50 | 8.00 |
| Diervilla trifida, trans | 15 | .60 | 4.00 | |
| “ “ col | | .60 | 3.00 | 25.00 |
| “ sessilifolia | 20 | 1.00 | 7.50 | |
| Dimorphanthus Mandschuricus, 5 to 10 feet . . . | 50 | 1.00 | | |
| “ “ 2 to 5 feet | | .50 | | |
| Diospyros Virginica, col | 20 | .75 | 4.00 | |
| Dirca palustris, trans | 20 | .75 | | |
| Epigea repens, col. seedlings, with ball | 25 | 1.00 | 6.00 | |
| Euonymus Americanus, col | | .60 | 2.50 | 20.00 |
| “ radicans | 15 | .60 | 3.50 | |
| “ “ variegated | 15 | .75 | | |
| “ Europæus, 3 to 4 feet | 20 | 1.00 | 4.00 | |
| “ “ 2 to 3 feet | 15 | .60 | 3.00 | |
| Forsythia Fortunei, 3 to 4 feet | 15 | .60 | 4.00 | |
| Fothergilla alnifolia | 25 | 1.50 | 10.00 | |
| Gaultheria procumbens, col | 10 | .40 | 1.50 | 10.00 |
| “ “ col. clumps | | .50 | 2.00 | 15.00 |
| Gaylussacia Dumosa, col | 15 | .60 | 3.50 | |
| “ “ frondosa, col | 15 | .60 | | |
| “ resinosa, col | 15 | .50 | 2.00 | 15.00 |
| Hammamelis Virginica | 25 | 1.25 | 10.00 | |
| “ “ col | | .60 | 3.50 | 30.00 |
| Hudsonia ericoides, col | 10 | .50 | 2.00 | 15.00 |
| “ tomentosa, col | | .60 | 4.00 | 20.00 |
| Hydrangea arborescens, 1 to 2 feet | 15 | .75 | 6.00 | |
| “ “ col | | .60 | 3.00 | 25.00 |
| Hypericum densiflorum, col | 15 | .60 | 2.00 | 10.00 |
| Ilex glabra, 6 to 12 inch, col | 15 | .60 | 3.00 | |
| “ 1 to 2 feet, with ball, col | 15 | 3.00 | 17.00 | |
| “ 2 to 3 feet, with ball, col | 1.00 | 6.00 | 40.00 | |
| Ilex Opaca, col. seedlings | | .75 | 4.00 | 35.00 |
| “ col, 1 to 2 feet, bushy | | 1.50 | 12.00 | |
| Prices quoted on larger sizes on application. | | | | |
| We cut leaves from all Ilex Opaca as soon as dug. | | | | |
| Ilex verticillata, col | | .85 | 4.00 | |
| Itea Virginica, 1 to 2 feet | 15 | .50 | 4.00 | |
| “ 2 to 3 feet | 25 | .80 | 6.00 | |
| “ col | | .50 | 3.00 | |
| Juniperus Virginiana, col | 15 | .50 | 2.00 | 15.00 |
| Kalmia angustifolia, col | | .60 | 2.00 | 15.00 |
| “ latifolia, 6 to 12 inches, col | | .60 | 2.50 | 15.00 |
| “ “ 2 feet, with ball, col | 40 | 2.50 | 20.00 | |

We have a fine lot of this grade of Kalmias growing on land which was burned over four years ago, which we can furnish by thousand or carload at special prices.

All plants in this list are nursery grown unless otherwise specified.

| | EACH | 10 | 100 | 1000 |
|--|------|------|-------|-------|
| Kolreuteria paniculata, 1 to 3 ft., trans | 10 | .50 | 3.00 | |
| Ledum latifolium, 8 to 12 in., bushy | 30 | 1.50 | | |
| Leiophyllum buxifolium, col | 15 | .60 | 4.00 | 35.00 |
| Leucothoe Catesbæii, 6 to 12 in | 10 | .60 | 4.00 | |
| Lindera Benzoin, 12 to 18 in | 20 | .80 | 5.00 | |
| “ “ col | | .60 | 3.00 | 25.00 |
| Liquidambar styraciflua, 6 to 8 ft., twice trans . . | 50 | 3.50 | | |
| “ “ 4 to 6 ft., “ | 35 | 3.00 | 25.00 | |
| “ “ col | | .60 | 2.00 | |
| Lonicera Brachypoda, col | 15 | .60 | 3.00 | 25.00 |
| “ fragrantissima, 3 to 5 ft | 15 | .50 | | |
| “ Halleana, 2 years | 35 | .75 | 3.50 | 25.00 |
| Lyceum vulgare | 10 | .50 | 2.50 | |
| Magnolia glauca, transplanted | 25 | 1.50 | | |
| Menispermum Canadense, col | 15 | .60 | 2.50 | 20.00 |
| Myrica cerifera | | | 6.00 | |
| “ “ col | | .75 | 3.50 | |
| “ gale, 1½ to 2½ feet, bushy | 25 | 1.00 | 7.50 | |
| “ “ col | | .75 | 3.50 | 30.00 |
| Ostrya Virginica | | 1.25 | 8.00 | |
| Platanus orientalis, 10 feet, trans | 40 | 3.00 | | |
| “ “ 5 to 8 ft., trans | 25 | 2.00 | 15.00 | |
| “ “ 3 to 5 ft., trans | 15 | 1.00 | 8.00 | |
| Prunus maritima, col | 15 | .60 | 3.00 | 20.00 |
| “ serotina, col | 15 | .60 | 3.00 | 20.00 |
| “ Virginiana, col | 15 | .60 | 3.00 | 25.00 |
| Pyrus arbutifolia, var. Brilliantissima, 2 to 3 feet | | | | |
| bushy | 25 | 1.00 | 5.00 | |
| “ “ var. Brilliantissima. 1 to 2 ft . . | 15 | .75 | 4.00 | |
| “ melanocarpa, black fruited | 15 | .75 | 4.50 | 35.00 |
| “ “ col | | .60 | 3.00 | |
| Rhododendron maximum, 1 to 2 ft | 35 | 2.00 | 12.00 | |
| “ “ col. seedlings, 6 to 12 in | | .75 | 2.00 | 18.00 |
| “ “ Catawbiense | 15 | 1.50 | 10.00 | |
| Rhus copallina, 2 to 3 feet | | .75 | 5.00 | |
| “ “ col | | .50 | 2.00 | 15.00 |
| “ glabra, col | | .75 | 3.00 | |
| “ typhina, col | 15 | .60 | 2.50 | 20.00 |
| Robinia hispida | 15 | .50 | 3.00 | 25.00 |
| Rosa blanda | 15 | 1.00 | 7.00 | |
| “ Carolina, col | | .60 | 2.00 | 18.00 |
| “ lucida, col | | .50 | 4.00 | 30.00 |
| “ nitida | 20 | 1.25 | 7.00 | |
| “ setigera | 15 | 1.25 | 7.00 | |
| Rubus Canadensis, col | 10 | .40 | 1.50 | 10.00 |
| “ cuneifolius. col | 10 | .40 | 2.00 | 15.00 |
| “ hispidus, col | | .50 | 1.50 | 7.50 |


All plants in this list are nursery grown unless otherwise specified.

| | EACH | 10 | 100 | 1000 |
|--|------|------|-------|-------|
| Rubus odoratus, col | | .50 | 2.00 | 15.00 |
| Sambucus Canadensis, col | 20 | .75 | 5.00 | |
| Sassafras, col | | .50 | 3.00 | 25.00 |
| Smilax rotundifolium, col | 15 | .60 | 3.00 | 25.00 |
| “ Walterii, col | 25 | 1.00 | 6.00 | |
| Spiræa Anthony Waterer, 1 to 2 feet | 25 | 1.75 | 6.00 | |
| “ tomentosa, col | | .60 | 2.00 | 15.00 |
| “ VanHouttii, 3 to 4 feet | 25 | 1.00 | 7.50 | |
| “ Callosa superba | 25 | 1.00 | | |
| Staphylea trifolia, col | 15 | .60 | 3.00 | 25.00 |
| Stuartia pentagynia, 8 to 12 in | 15 | 1.00 | | |
| Symphoricarpos vulgaris, 2 to 3 feet | 10 | .50 | 2.00 | 20.00 |
| Tecoma radicans | 10 | .50 | 2.50 | |
| Ulmus Americana, 6 to 8 ft., twice trans | 15 | 1.00 | 10.00 | |
| Vaccinium corymbosum, trans | 15 | 1.25 | 10.00 | |
| “ “ col | | .60 | 3.00 | 25.00 |
| “ macrocarpon, col | 10 | .50 | 1.50 | 10.00 |
| “ Pennsylvanicum, col | | .60 | 3.00 | 25.00 |
| “ stamineum, 8 to 12 inch | 15 | .80 | 6.00 | |
| “ “ col | | .75 | 4.00 | 30.00 |
| “ vacillans, col | | .60 | 3.00 | 25.00 |
| Viburnum acerifolium, 1 to 2 feet | 15 | 1.00 | 7.00 | |
| “ “ col | | .60 | 3.00 | 25.00 |
| “ cassinoides | 25 | 1.50 | 10.00 | |
| “ dentatum, trans | 25 | 1.50 | 8.00 | |
| “ nudum, col | | .60 | 3.00 | 25.00 |
| Virgilia lutea, 6 to 12 inch | 15 | 1.00 | 6.00 | |
| Xanthoxylum Americanum | 25 | .80 | | |
| “ “ col | | .75 | 4.00 | 30.00 |
| Xanthorhiza apiifolia | 20 | 1.25 | 6.00 | 50.00 |

Coniferous Evergreens.

| | | | | |
|---|----|------|------|-------|
| Arborvitæ, dwarf, 1 to 2 feet | 25 | 1.50 | | |
| Pinus rigida, seedlings, col | | .50 | 1.50 | 12.00 |

All plants in this list are nursery grown unless otherwise specified.



PYXIDANTHERA BARBULATA